

LISTING OF THE CLAIMS

1 Claims 1-21 (Canceled)

1 Claim 22 (Currently Amended): A mat of fibrous media comprising: at least a
2 first layered mat portion of selected first varied fiber size distribution therein, said varied
3 fiber size distribution in said first layered mat portion resulting in a first varied
4 permeability within said first layered mat portion wherein said first permeability
5 increases in a thickness direction through said first layered mat portion and at least a
6 second layered mat portion of selected second varied fiber size distribution therein, said
7 varied fiber size distribution in said second layered mat portion resulting in a second
8 varied permeability wherein said second permeability increases in said thickness
9 direction through said second layered mat portion and wherein said permeability of said
10 first layer is less than said permeability of said second layer within said second layered
11 mat portion, both said first and second layered mat portions being of substantially aligned
12 fibers of first and second selected varied fiber size distributions and varied permeability
13 with each being attenuated as layers from spaced orifice sources directly to separate,
14 spaced collector, one of such sources receiving said layered mat portion from the other
15 immediately preceding spaced collector source.

1 Claim 23 (Original): The mat of fibrous media of Claim 22, wherein said first
2 and second layered mat portions are combined in an interspersed manner.

1 Claim 24 (Original): The mat of fibrous media of Claim 22, wherein said first
2 and second layered mat portions are combined in a successive manner.

1 Claim 25 (Original): The mat of fibrous media of Claim 22, wherein at least one
2 portion of said layered portions is a product of turbulently entangled fibers with varied
3 fiber size distribution.

1 Claim 26 (Original): The mat of fibrous media of Claim 22, wherein said fibers
2 of said first layered portion are of melt blown composition and said fibers of said second
3 layered portion are of melt blown composition.

1 Claim 27 (Previously Presented): The mat of fibrous media of Claim 22, wherein
2 said fibers of said first layered portion are of a varied size distribution in the approximate
3 range of zero point one (0.1) to twenty seven (27) micrometers and said second layered
4 portion are of a varied fiber size distribution in the approximate range of one (1) to fifty
5 (50) micrometers.

1 Claim 28 (Previously Presented): The mat of fibrous media of Claim 23, wherein
2 said fibers of said first layered portion have a varied permeability range varying within
3 the approximate range of five (5) to two thousand (2000) cubic feet per minute per square
4 foot (cfm/ft²) permeability and said fibers of said second layers have a varied
5 permeability range varying within the approximate range of thirty (30) to four thousand
6 (4000) cubic feet per minute per square foot (cfm/ft²) permeability.

1 Claim 29 (Currently Amended): A mat of fibrous filter media comprising: at least
2 a first layered filter media mat portion of synthetic melt blown composition with
3 approximate first varied fiber size distributions through a thickness of said first layered
4 mat portion, within said fiber size distribution of said first layered mat portion varying
5 within the approximate range of zero point one (0.1) to twenty seven (27) micrometers
6 and an varied increasing permeability within said ~~second~~ first layered mat portion varying

7 within the approximate range of five (5) to two thousand (2000) cubic feet per minute
8 (cfm/ft²) and, a second successive layered filter media mat portion of synthetic melt
9 blown composition with varied fiber size distributions varying within the approximate
10 range of one (1) to fifty (50) micrometers and ~~varied~~ increasing permeability ~~varying~~
11 within the approximate range of thirty (30) to four thousand (4000) cubic feet per minute
12 per square foot (cfm/ft²), wherein said increasing permeability of said first layer is less
13 than said increasing permeability of said second layer and each layered portion having
14 been attenuated as layers from selectively spaced melt blown orifice sources to separate
15 spaced rotating collector sources with one of such sources receiving said layered mat
16 portion from the other immediately preceding collector source.

1 Claims 30-32 (Canceled):

1 Claim 33. (Currently Amended): A fibrous filter media comprising a plurality of
2 fibrous layers, said plurality of fibrous layers having a first and second fibrous layer, said
3 first fibrous layer having a first varied fiber size distribution and first increasing
4 permeability within said first layer and first varied porosity within said first layer, said
5 second fibrous layer having a second varied fiber size distribution and second increasing
6 permeability within said second layer and second varied porosity within said second
7 layer, said first and said second fibrous layers each being attenuated as layers from
8 spaced orifice sources directly to separate, spaced rotating collector sources with one of
9 such sources receiving said layered mat portion from the other immediately preceding
10 spaced rotating collector source forming a mat of fibrous media.

1 Claim 34. (Previously Presented): The fibrous filter media of Claim 33 wherein
2 said first fiber size varies within in a range within the range of approximately 0.1 to 27
3 micrometers.

1 Claim 35. (Previously Presented): The fibrous filter media of Claim 33
2 wherein said first porosity varies within in a range within the range of approximately 5 to
3 2000 cfm/ft².

1 Claim 36. (Previously Presented): The fibrous filter media of Claim 33
2 wherein said second fiber size varies within in a range within the range of approximately
3 1 to 50 micrometers.

1 Claim 37. (Previously Presented): The fibrous filter media of Claim 33
2 wherein said second porosity varies within in a range within the range of approximately
3 30 to 4000 cfm/ft².

1 Claim 38. (Previously Presented): The fibrous filter media of Claim 33
2 wherein said plurality of fibrous layers have a synthetic composition.

1 Claim 39. (Previously Presented): The fibrous filter media of Claim 33
2 wherein said plurality of fibrous layers has a third fibrous layer adjacent said second
3 fibrous layer and having a third varied fiber size distribution and third varied porosity,
4 said third varied fiber size distribution being substantially similar to said second varied
5 fiber size distribution and said third varied porosity being substantially similar to said
6 second varied porosity.

1 Claim 40. (Previously Presented): The fibrous filter media of Claim 33
2 wherein at least one of said plurality of fibrous layers has a portion of the fibers having
3 been curled and entangled.

1 Claim 41. (Previously Presented): The fibrous filter media of Claim 33
2 wherein said first varied fiber size distribution range is smaller than said second varied
3 fiber size distribution range.

1 Claim 42. (Previously Presented): The fibrous filter media of Claim 33
2 wherein said first fibrous layer has a smooth surface opposite said second fibrous layer,
3 said first varied fiber size distribution range being less than said second varied fiber size
4 distribution range.

1 Claim 43. (Previously Presented): The fibrous filter media of Claim 33
2 wherein said first fibrous layer has a smooth surface opposite said second fibrous layer,
3 said second fibrous layer having curled and entangled fibers with a greater size
4 distribution range than said first varied fiber size distribution range.

1 Claim 44. (Previously Presented): The fibrous filter media of Claim 33
2 wherein said first fibrous layer has a smooth surface opposite said second fibrous layer,
3 said second fibrous layer having a greater varied fiber size distribution range than said
4 first varied fiber size distribution range, said second fibrous layer having a smooth
5 surface opposite said first fibrous layer.